

REFERENCES

- Anderson, E.H., Ward, L.R., De Sax, M.J., and DeSa, J.D.H. (1977). Bacteriophage – Typing Designations of *S. typhimurium*. *Journal of Hygiene* **78**, 297 – 300.
- Defra (2006) Zoonoses Report UK 2005 (in press).
- EEC (1997) European Union Council Directive 92/117/EEC and amendment 97/22/EC. *Official Journal* L062, pp 38 – 48.
- EEC (2003) European Union Council Directive 2003/99/EC. *Official Journal* L325, pp 31 – 40.
- EEC (2003) European Union Council Regulation (EC) No. 2160/2003. *Official Journal* L325, pp1 – 15.
- EEC (2004) EC Decision 2004/665/EC. *Official Journal* L303, pp 30 – 34.
- EEC (2005) EC Decision 2005/636/EC. *Official Journal* L228, pp 14 – 18.
- HMSO (1989) *The Zoonoses Order 1989* (ISBN 0 1109 6285 0).
- HMSO (1993) *The Poultry Breeding Flocks and Hatcheries Order 1993* (ISBN 0 1103 4898 2).
- HMSO (2002) *The TSE Regulations 2002* (ISBN 0 11 039914 5).
- HMSO (2005) *The Animal By-Products Regulations 2005* (ISBN 0 1107 3280 4).
- Le Minor, L., Popoff, M.Y. (1987) Designation of *Salmonella enterica* sp. nov., nom. rev., as the type and only species of the genus *Salmonella*. *International Journal of Systematic Bacteriology* **37**, 465-468.
- Snow, L.C., Davies, R.H., Christiansen, K.H., Carrique-Mas, J.J., Wales, A.D., O'Connor, J.L., Cook, A.J.C., Evans, S.J. (in publication) *Survey of Salmonella prevalence on commercial laying farms in the United Kingdom*.
- VLA (2005) *Veterinary Investigation Surveillance Report (VIDA) 2004*, (ISBN 1 8995 1325 6).

Ward, L.R., DeSa, J.D.H. and Rowe, B. (1987). A Phage typing Scheme for *Salmonella enteritidis*. *Epidemiology and Infection*, **99**, 291 – 294.

FURTHER PUBLICATIONS OF INTEREST

Anjum MF; Marooney C; Fookes M; Baker S; Dougan G; Ivens A; Woodward MJ (2005) Identification of core and variable components of the *Salmonella enterica* subspecies 1 genome by microarray. *Infection and Immunity* **73** (12) 7894-7905.

Arnold ME; Cook A; Davies R (2005) A modelling approach to estimate the sensitivity of pooled faecal samples for isolation of *Salmonella* in pigs. *Journal of the Royal Society Interface* **2** 365-372.

Batchelor M; Hopkins K; Threlfall EJ; Clifton-Hadley FA; Stallwood AD; Davies RH; Liebana E (2005) blaCTX-M genes in clinical *Salmonella* isolates recovered from humans in England and Wales from 1992 to 2003. *Antimicrobial Agents and Chemotherapy* **49** (4) 1319-1322.

Batchelor M; Hopkins KL; Threlfall EJ; Clifton-Hadley FA; Stallwood AD; Davies RH; Liebana E (2005) Characterization of AmpC-mediated resistance in clinical *Salmonella* isolates recovered from humans during the period 1992 to 2003 in England and Wales. *Journal of Clinical Microbiology* **43** (5) 2261-2265.

Bishop AL; Baker S; Jenks S; Fookes M; Gaora PO; Pickard D; Anjum M; Farrar J; Hien TT; Ivens A; Dougan G (2005) Analysis of the hypervariable region of the *Salmonella enterica* genome associated with tRNA^{LeuX}. *Journal of Bacteriology* **187** (7) 2469-2482.

Cobb SP, McVicar CM; Davies RH; Ainsworth H (2005) Fowl typhoid in caged layer birds (letter). *Veterinary Record* **157** (9) 268.

Davison HC; Smith RP; Pascoe SJS; Sayers AR; Davies RH; Weaver JP; Kidd SA; Dalziel RW; Evans SJ (2005) Prevalence, incidence

and geographical distribution of serovars of *Salmonella* on dairy farms in England and Wales. *Veterinary Record* **157** (22) 703-711.

Evans SJ; Davies RH; Binns SH; Liebana E; Jones TWH; Millar MF; Threlfall EJ; Ward LR; Hopkins KL; MacKay PHS; Gayford PJR (2005) Multiple antimicrobial resistant *Salmonella enterica* serovar paratyphi B variant Java in cattle: a case report. *Veterinary Record* **156** (11) 343-346.

Gradel KO; Randall L; Sayers AR; Davies RH (2005) Possible associations between *Salmonella* persistence in poultry houses and resistance to commonly used disinfectants and a putative role of mar. *Veterinary Microbiology* **107** (1-2) 127-138.

Hopkins KL; Davies RH; Threlfall EJ (2005) Mechanisms of quinolone resistance in *Escherichia coli* and *Salmonella*: recent developments. *International Journal of Antimicrobial Agents* **25** (5) 358-373.

Liebana E; Batchelor M; Hopkins KL; Clifton-Hadley FA; Davies RH; Threlfall EJ (2005) Resistance to oximinocephalosporins mediated by blaTEM-52 genes in *Salmonella* Typhimurium from humans in England and Wales. *Foodborne Pathogens and Disease* **2** (4) 361-364.

Martinez-Urtaza J; Liebana E (2005) Use of pulsed-field gel electrophoresis to characterize the genetic diversity and clonal persistence of *Salmonella* Senftenberg in mussel processing facilities. *International Journal of Food Microbiology* **105** (2) 153-163.

Martinez-Urtaza L; Liebana E (2005) Investigation of clonal distribution and persistence of *Salmonella* Senftenberg in the marine environment and identification of potential sources of contamination. *FEMS Microbiology Ecology* **52** (2) 255-263.

Purvis GM; Hullah K; Pascoe SJS; Evans SJ; Davies RH (2005) Persistence of *Salmonella* Typhimurium DT120 in abattoir paddocks holding sheep. *Veterinary Record* **157** (6) 165-167.

Randall LP; Coldham NG; Woodward MJ (2005) Detection of mutations in *Salmonella enterica* gyrA, gyrB, parC and parE genes by denaturing high performance liquid chromatography (DHPLC) using standard HPLC instrumentation. *Journal of Antimicrobial Chemotherapy* **56** (4) 619-623.

Randall LP; Eaves DJ; Cooles SW; Ricci V; Buckley A; Woodward MJ; Piddock LJV (2005) Flouroquinolone treatment of experimental *Salmonella enterica* serovar Typhimurium DT104 infections in chickens selects for both gyrA mutations and changes in efflux pump gene expression. *Journal of Antimicrobial Chemotherapy* **56** (2) 297-306.

Randall LP; Cooles SW; Piddock LJV; Woodward MJ (2004) Mutant prevention concentration of ciproflaxacin for *Salmonella enterica*. *Journal of Antimicrobial Chemotherapy* **54** (3) 688-691.

Ricci V; Tzakas P; Buckley A; Coldham NC; Piddock LJV (2006) Ciprofloxacin-resistant *Salmonella enterica* serovar Typhimurium strains are difficult to select in the absence of AcrB and TolC. *Antimicrobial Agents and Chemotherapy* **50** (1) 38-42.

Quality Statement

SECTION A

1. Coherence

Reports are obtained by various routes: direct submissions to VLA Regional Laboratories, reports of *Salmonella* isolations by private laboratories and Scottish submissions to Scottish Agricultural Colleges.

VLA is responsible for collation of data. Submissions result from investigation of clinical disease in livestock, voluntary monitoring of healthy livestock, compulsory monitoring of chicken breeding flocks under the Poultry Breeding Flocks and Hatcheries Order 1993, follow-up investigations of *Salmonella* incidents under the Zoonoses Order 1989 and investigations of possible links with a human *Salmonella* outbreak.

All private laboratories submitting reports of *Salmonella* isolates to VLA do so using the standard VLA submission & Supplementary forms or customised forms developed for them by VLA. Scottish submissions use the SAC submission form & supplementary forms which are compatible with the VLA system and interpreted in the same way. All use the same definitions and essential categorisation. The PBFHO laboratories must comply with legislative requirements and are subject to inspections by VLA.

Only approved submissions (submissions with no pending results) are included in this report.

A sensitivity test is performed for surveillance purposes against an extended panel of 16 antimicrobials on *Salmonella* isolates sent for serotyping to VLA Weybridge and VLA Lasswade.

	Antimicrobial	Concentration (µg per ml)	Code
1	Nalidixic acid	30	NA
2	Tetracycline	10	T
3	Neomycin	10	N
4	Ampicillin	10	AM
5	Furazolidone	15	FR
6	Ceftazidime	30	CAZ
7	Sulphamethoxazole/trimethoprim	25	TM
8	Chloramphenicol	10	C
9	Amikacin	30	AK
10	Amoxicillin/clavulanic acid	30	AMC

11	Gentamicin	10	CN
12	Streptomycin	25	S
13	Sulphonamide compounds	300	SU
14	Cefotaxime	30	CTX
15	Apramycin	15	APR
16	Ciprofloxacin	1	CIP

This panel is updated when there is a clear need to detect new or emergent types of resistance or to replace outdated antimicrobials. On specific occasions (e.g. detection of *Salmonella* vaccine strains, characterisation of 3rd generation cephalosporins resistance) more than 16 antimicrobials are used for sensitivity testing.

Some of the *Salmonella* serotypes are recorded and reported in VLA under the old nomenclature. The nomenclature for these serotypes under the Kauffmann-White scheme is clarified in the following table:

VLA Serotype

Pullorum
Binza
Thomasville
Java

Kauffmann-White

Gallinarum
Orion 15+var
Orion 15+34+var
Paratyphi B var Java

2. Accuracy and precision

Sampling error: Isolations of *Salmonella* from statutory species are required to be reported, however this depends on submission of samples for laboratory investigation by private veterinarians as well as on economic factors e.g. distance to laboratories etc. The sample type and frequency of compulsory monitoring of chicken breeding flocks is defined in the Poultry Breeding Flocks and Hatcheries Order 1993, but voluntary testing may also be carried out.

A sensitivity test is performed to *Salmonella* isolates before the allocation of an automatic incidence reference by the computer system. It is important that the information on whether the submitted isolates are considered to comprise new incidents is provided to the testing laboratory. As some companies perform extensive testing for *Salmonella*, this could skew the overall sensitivity data leading to the patterns obtained to reflect the intensity of sampling procedure.

Coverage error: The reasons for sample submissions need to be considered, as sources of error can be dependent on this factor. Also the ability to isolate *Salmonella* needs to be considered (dependent on sample type taken, age of sample, storage and transport, culture method used, laboratory staff technical expertise etc).

Non-response error: Although all *Salmonella* isolations from statutory species are required to be reported, not all data items requested are mandatory under the Zoonoses Order 1989. Different categories of submissions may have different non-response rates for different data items.

Measurement error: Different *Salmonella* culture methods vary in their sensitivity, which varies according to sample type, type of *Salmonella* present and profile of competitive flora in the sample. Data on the VLA and SAC forms may be subject to individual interpretation by the person submitting the information, despite the guidance to authorised personnel.

Only approved test results are included. Data are scrutinised to remove errors in false positives for strategically important isolates (e.g. resistant to 3rd generation cephalosporins). It is not expected to see resistance to amikacin, ciprofloxacin, ceftazidime or cefotaxime in any isolate. If any appears, it is followed up at the time of detection.

Both laboratories at VLA Lasswade and VLA Weybridge that perform the expanded susceptibility testing have the UKAS accreditation.

Data processing error: Non mandatory information may be difficult to obtain. It is the responsibility of the Nominated Officer to ensure that the data are accurate and complete. A validation exercise is carried out on a weekly basis at the VLA Regional Laboratories and by the Centre for Epidemiology and Risk Analysis (CERA).

3. Timeliness and punctuality

Any *Salmonella* reports that are confirmed or identified after the publication of this report will be incorporated into the revised tables that appear in the following year's publication. This may cause the number of incidents and/or isolations to differ from that previously given for a particular year. The most recent version of the report should therefore be used when comparing incidents from year to year.

4. Accessibility and clarity

Salmonella (VLA) has a related metadata profile (see section B).

5. Comparability

Changes in the number of *Salmonella* isolations from poultry and pigs over time may reflect changes in the monitoring activity conducted by the livestock industry and not necessarily changes in incidence in *Salmonella* infection. Number of tests carried out by authorised laboratories is collated by DEFRA. *Salmonella* isolates results from

investigations under the Zoonoses Action Plan (ZAP) scheme are reported to and collated by VLA.

VLA Quality Assurance Statement

The policy of the Veterinary Laboratories Agency (VLA) is to maintain a high standard of quality in all aspects of its operation and to continually satisfy our customers in respect of all the services offered.

The laboratory facilities are UKAS accredited to BS EN ISO 17025:2000 (Lab Nos. 0941, 1769 and 2112) for an extensive range of tests supported by proficiency testing accredited to ISO/IEC Guide 43-1 1997 (Lab No. 0004). VLA is certificated to BS EN ISO 9001:2000 for 'the provision of a range of specialist veterinary scientific services to the Government and other interested parties worldwide (Certificate Nos. LRQ 4000436, 4001071, 0962413 and 4001392).

Additionally VLA holds Good Laboratory Practice and Good Manufacturing Practice approval and complies with the Joint Code of Practice for Research projects and Good Clinical Veterinary Practice quality standards.

VLA Weybridge is accredited to BS EN ISO 14001:2004 for environmental management system.

SECTION B

METADATA ELEMENTS

Metadata elements	Definition
Creator	Salmonella Surveillance Team, CERA, VLA Weybridge, New Haw, Addlestone, Surrey KT15 3NB
Date created	06/04/2006 (data retrieval from FarmFile/Salmonella database)
Identifier	Salmonella Annual Report 2005, Version 1
Quality	See Section A
Publisher	Salmonella Surveillance team, CERA, VLA Weybridge, New Haw, Addlestone, Surrey, KT153NB
Source	Farmfile/Salmonella database.
Title	Salmonella in Livestock Production in GB 2005

ADDITIONAL REPORT METADATA ELEMENTS

Metadata elements	Definition
Coverage spatial	Salmonella reports made in Great Britain
Date. Issued	By 21/08/2006
Date. Updating frequency	Annually
Format medium	Word document
Language	English
Mandate authorising statute	Data collected under: Zoonoses Order 1989 PBFHO 1993 ABPO 1999 ABPR 2005 IPAPO 1981
Rights. copyright	Crown copyright
Subject. Category	Zoonoses, Animal Health
Subject. Keywords	Salmonella, Livestock
Subject. programme	Food and Environmental Safety
Subject. project	Surveillance of Salmonella in animals (FZ2000) Monitoring of Antimicrobial Resistance in Bacteria from Animals and their Environment (FZ2200)
Status	Approved by: Christina Papadopoulou (c.papadopoulou@vla.defra.gsi.gov.uk)

	Version 1
Type	Report

Acknowledgements

Incidents were reported by Nominated Officers of the Veterinary Laboratories Agency for England and Wales and Divisional Veterinary Managers for Scotland and, through them, by private laboratories.

Divisional Veterinary Managers of the State Veterinary Service are responsible for the collection of samples of processed animal protein.

Staff of the Veterinary Laboratories Agency processed the data.

The following reference laboratories made or confirmed the majority of isolations:

- Veterinary Laboratories Agency, Weybridge and Lasswade.
- HPA Laboratory of Enteric Pathogens, Colindale.
- Scottish *Salmonella* Reference Laboratory, Glasgow.

This report was compiled by:

Christina Papadopoulou and Sue Kidd
Centre for Epidemiology and Risk Analysis,
Veterinary Laboratories Agency,
New Haw,
Addlestone,
Surrey,
KT15 3NB

Telephone: + 44 (0)1789 - 750212
Fax: + 44 (0)1789 - 750281
E-mail s.a.kidd@vla.defra.gsi.gov.uk

Further copies of the report are available from the above address

VLA is an Executive Agency of the Department for Environment, Food and Rural Affairs.