

## REFERENCES

Anderson, E.H., Ward, L.R., De Sax, M.J., and DeSa, J.D.H. (1977). Bacteriophage – Typing Designations of *S. typhimurium*. *Journal of Hygiene* **78**, 297 – 300.

Defra (2007) Zoonoses Report UK 2006 (in press).  
<http://defraweb/animalh/diseases/zoonoses/reports.htm>

EEC (1997) European Union Council Directive 92/117/EEC and amendment 97/22/EC. *Official Journal* L062, pp 38 – 48.

EEC (2003) Zoonoses Regulations 2160/2003.

EEC (2003) European Union Council Directive 2003/99/EC. *Official Journal* L325, pp 31 – 40.

EEC (2003) European Union Council Regulation (EC) No. 2160/2003. *Official Journal* L325, pp 1 – 15.

EEC (2004) EC Decision 2004/665/EC. *Official Journal* L303, pp 30 – 34.

EEC (2005) EC Decision 2005/636/EC. *Official Journal* L228, pp 14 – 18.

HMSO (1989) *The Zoonoses Order 1989* (ISBN 0 1109 6285 0).

HMSO (1993) *The Poultry Breeding Flocks and Hatcheries Order 1993* (ISBN 0 1103 4898 2).

HMSO (2007) *The Poultry Breeding Flocks and Hatcheries (England) Order 2007* (ISBN 0 11 075819 6)

HMSO (2007) *The Poultry Breeding Flocks and Hatcheries (Wales) Order 2007* (ISBN 0 11 091588 3)

HMSO (2007) *The Poultry Breeding Flocks and Hatcheries (Scotland) Order 2007* (ISBN 0 11 072109 8)

HMSO (2002) *The TSE Regulations 2002* (ISBN 0 11 039914 5).

HMSO (2005) *The Animal By-Products Regulations 2005* (ISBN 0 1107 3280 4).

Le Minor, L., Popoff, M.Y. (1987) Designation of *Salmonella enterica* sp. nov., nom. rev., as the type and only species of the genus *Salmonella*. International Journal of Systematic Bacteriology **37**, 465-468.

VLA (2007) Veterinary Investigation Surveillance Report (VIDA) 2006, (ISBN 1 8995 1328 5).

Ward, L.R., DeSa, J.D.H. and Rowe, B. (1987). A Phage typing Scheme for *Salmonella enteritidis*. Epidemiology and Infection, **99**, 291 – 294.

## FURTHER PUBLICATIONS OF INTEREST

Buckley AM; Webber MA; Cooles S; Randall LP; La Ragione RM; Woodward MJ; Piddock LJ (2006) The AcrAB-TolC efflux system of *Salmonella enterica* serovar Typhimurium plays a role in pathogenesis. *Cellular Microbiology* **8** (5) 847-856.

Carrique-Mas JJ; Bedford S; Davies RH Organic acid and formaldehyde treatment of animal feeds to control *Salmonella*: Efficacy and masking during culture. *J Appl Microbiol.* 2007;**103** (1) 88-96.

Carrique-Mas JJ; Papadopoulou C; Evans SJ; Wales W; Teale CJ; Davies RH Trends in *Salmonella* Enteritidis from animals in Great Britain 1990-2005: Phage types and antimicrobial resistance. *Accepted in the Veterinary Record March 2007.*

Coldham NG; Randall LP; Piddock LJV; Woodward MJ (2006) Effect of fluoroquinolone exposure on the proteome of *Salmonella enterica* serovar Typhimurium. *Journal of Antimicrobial Chemotherapy* **58** (6) 1145-1153.

Cook AJC; Miller AJ; O'Connor J; Marier EA; Williamson SM; Hayden J; Featherstone CA; Twomey DF; Davies RH (2006) Investigating *Salmonella* infection on problem pig farms (ZAP level 3) - case studies in England. *Pig Journal* (58) 190-203.

Davison HC; Sayers AR; Smith RP; Evans SJ; Weaver JP; Pascoe SJS; Davies RH (2006) Risk factors associated with the *Salmonella* status of dairy farms in England and Wales. *Veterinary Record* **159** (26) 871-880.

Hopkins KL; Liebana E; Villa L; Batchelor M; Threlfall EJ; Carattoli A (2006) Replicon typing of plasmids carrying CTX-M or CMY beta-lactamases circulating among *Salmonella* and *Escherichia coli* isolates. *Antimicrobial Agents and Chemotherapy* **50** (9) 3203-3206.

Kosmider R; Kelly L; Evans S; Gettinby G (2006) A statistical system for detecting *Salmonella* outbreaks in British livestock. *Epidemiology and Infection* **134** (5) 952-960.

Martinez-Urtaza J; Echeita A; Liebana E (2006) Phenotypic and genotypic characterization of *Salmonella enterica* serotype Paratyphi B isolates from environmental and human sources in Galicia, Spain. *Journal of Food Protection* **69** (6) 1280-1285.

Randall LP; Cooles SW; Coldham NC; Stapleton KS; Piddock LJV; Woodward MJ (2006) Modification of enrofloxacin treatment regimens for poultry experimentally infected with *Salmonella enterica* serovar Typhimurium DT104 to minimize selection of resistance. *Antimicrobial Agents and Chemotherapy* **50** (12) 4030-4037.

Small A; James C; James S; Davies R; Liebana E; Howell M; Hutchison M; Buncic S (2006) Presence of *Salmonella* in the red meat abattoir lairage after routine cleansing and disinfection and on carcasses. *Journal of Food Protection* **69** (10) 2342-2351.

Small A; James C; Purnell G; James S; Davies R; Howell M; Hutchison M; Buncic S (2006) Serotypes and antimicrobial resistance of *Salmonella enterica* on red meat carcasses and in the lairages after cleaning, in the south-west of England. In: 52nd International Congress of Meat Science and Technology, 13-18 August (2006), 341-342.

Snow LC; Davies RH; Christiansen KH; Carrique-Mas JJ; Wales, AD; O'Connor JL; Cook AJC & Evans SJ (2007) Baseline study on the prevalence of *Salmonella* in Laying flocks in the UK. *Accepted in the Veterinary Record September 2006*.

Wales A; Breslin M; Davies R (2006) Assessment of cleaning and disinfection in *Salmonella*-contaminated poultry layer houses using qualitative and semi-quantitative culture techniques. *Veterinary Microbiology* **116** (4) 283-293.

Wales A; Breslin M; Davies R (2006) Semiquantitative assessment of the distribution of *Salmonella* in the environment of caged layer flocks. *Journal of Applied Microbiology* **101** (2) 309-318.

Webber M; Buckley AM; Randall LP; Woodward M; Piddock LJV (2006) Overexpression of *marA*, *soxS* and *acrB* in veterinary isolates of *Salmonella enterica* rarely correlates with cyclohexane tolerance. *Journal of Antimicrobial Chemotherapy* **57** (4) 673-679.

## Quality Statement

### SECTION A

#### 1. Coherence

Reports are obtained by various routes: direct submissions to VLA Regional Laboratories, reports of *Salmonella* isolations by private laboratories and Scottish submissions to Scottish Agricultural Colleges.

VLA is responsible for collation of data. Submissions result from investigation of clinical disease in livestock, voluntary monitoring of healthy livestock, compulsory monitoring of chicken breeding flocks under the Poultry Breeding Flocks and Hatcheries Order 1993 (superseded by the Poultry Breeding Flocks and Hatcheries Order 2007 on March 7<sup>th</sup> 2007), follow-up investigations of *Salmonella* incidents under the Zoonoses Order 1989 and investigations of possible links with a human *Salmonella* outbreak.

All private laboratories submitting reports of *Salmonella* isolates to VLA do so using the standard VLA submission & Supplementary forms or customised forms developed for them by VLA. Scottish submissions use the SAC submission form & supplementary forms which are compatible with the VLA system and interpreted in the same way. All use the same definitions and essential categorisation. The PBFHO laboratories must comply with legislative requirements and are subject to inspections by VLA.

Only approved submissions (submissions with no pending results) are included in this report.

A sensitivity test is performed for surveillance purposes against an extended panel of 16 antimicrobials on *Salmonella* isolates sent for serotyping to VLA Weybridge and VLA Lasswade.

	<b>Antimicrobial</b>	<b>Concentration ( µg per ml)</b>	<b>Code</b>
1	Nalidixic acid	30	NA
2	Tetracycline	10	T
3	Neomycin	10	N
4	Ampicillin	10	AM
5	Furazolidone	15	FR
6	Ceftazidime	30	CAZ
7	Sulphamethoxazole/trimethoprim	25	TM
8	Chloramphenicol	10	C

9	Amikacin	30	AK
10	Amoxicillin/clavulanic acid	30	AMC
11	Gentamicin	10	CN
12	Streptomycin	25	S
13	Sulphonamide compounds	300	SU
14	Cefotaxime	30	CTX
15	Apramycin*	15	APR
16	Ciprofloxacin	1	CIP

\*This changed to Apramycin in 2007

This panel is updated when there is a clear need to detect new or emergent types of resistance or to replace outdated antimicrobials. On specific occasions (e.g. detection of *Salmonella* vaccine strains, characterisation of 3<sup>rd</sup> generation cephalosporins resistance) more than 16 antimicrobials are used for sensitivity testing.

Some of the *Salmonella* serotypes are recorded and reported in VLA under the old nomenclature. The nomenclature for these serotypes under the Kauffmann-White scheme is clarified in the following table:

#### **VLA Serotype**

Pullorum  
Binza  
Thomasville  
Java

#### **Kauffmann-White**

Gallinarum  
Orion 15+var  
Orion 15+34+var  
Paratyphi B var Java

## **2. Accuracy and precision**

**Sampling error:** Isolations of *Salmonella* from statutory species are required to be reported, however this depends on submission of samples for laboratory investigation by private veterinarians as well as on economic factors e.g. distance to laboratories etc. The sample type and frequency of compulsory monitoring of chicken breeding flocks is defined in the Poultry Breeding Flocks and Hatcheries Order 1993 (superseded by the Poultry Breeding Flocks and Hatcheries Order 2007 on March 7<sup>th</sup> 2007), but voluntary testing may also be carried out.

A sensitivity test is performed to *Salmonella* isolates before the allocation of an automatic incidence reference by the computer system. It is important that the information on whether the submitted isolates are considered to comprise new incidents is provided to the testing laboratory. As some companies perform extensive testing for *Salmonella*, this could skew the overall sensitivity data leading to the patterns obtained to reflect the intensity of sampling procedure.

**Coverage error:** The reasons for sample submissions need to be considered, as sources of error can be dependent on this factor. Also

the ability to isolate *Salmonella* needs to be considered (dependent on sample type taken, age of sample, storage and transport, culture method used, laboratory staff technical expertise etc).

Non-response error: Although all *Salmonella* isolations from statutory species are required to be reported, not all data items requested are mandatory under the Zoonoses Order 1989. Different categories of submissions may have different non-response rates for different data items.

Measurement error: Different *Salmonella* culture methods vary in their sensitivity, which varies according to sample type, type of *Salmonella* present and profile of competitive flora in the sample. Data on the VLA and SAC forms may be subject to individual interpretation by the person submitting the information, despite the guidance to authorised personnel.

Only approved test results are included. Data are scrutinised to remove errors in false positives for strategically important isolates (e.g. resistant to 3<sup>rd</sup> generation cephalosporins). It is not expected to see resistance to amikacin, ciprofloxacin, ceftazidime or cefotaxime in any isolate. If any appears, it is verified at the time of detection.

Both laboratories at VLA Lasswade and VLA Weybridge that perform the expanded susceptibility testing have the UKAS accreditation.

Data processing error: Non mandatory information may be difficult to obtain. It is the responsibility of the Nominated Officer to ensure that the data are accurate and complete. A validation exercise is carried out on a weekly basis at the VLA Regional Laboratories and by the Centre for Epidemiology and Risk Analysis (CERA).

### **3. Timeliness and punctuality**

Any *Salmonella* reports that are confirmed or identified after the publication of this report will be incorporated into the revised tables that appear in the following year's publication. This may cause the number of incidents and/or isolations to differ from that previously given for a particular year. The most recent version of the report should therefore be used when comparing incidents from year to year.

### **4. Accessibility and clarity**

*Salmonella* (VLA) has a related metadata profile (see section B).

### **5. Comparability**

Changes in the number of *Salmonella* isolations from poultry and pigs over time may reflect changes in the monitoring activity conducted by

the livestock industry and not necessarily changes in incidence in *Salmonella* infection. Number of tests carried out by authorised laboratories is collated by DEFRA. *Salmonella* isolates resulting from investigations under the Zoonoses Action Plan (ZAP) scheme are reported to and collated by VLA.

Hatchery isolations not associated with a specific supply flock. From 1<sup>st</sup> January 2006, any hatchery isolates where there are no supply flock details available are now treated as isolations only and not incidents as they cannot be traced back to a specific supply flock. The species that are mainly affected are chickens and ducks, and the change has resulted in a decrease in the number of incidents reported whereas, when compared with previous years, an increase would have been expected due to isolations that would have been incorrectly grouped into incidents now being correctly categorised.

SAC and other isolations/reports without cultures submitted. Submissions received from the Scottish Agricultural Colleges (SAC), and any other submissions received without a sample are now allocated an incident reference whereas previously these were not allocated such references. This improvement has been put in place for all reports recorded since the start of the database. The species mostly affected by this change are cattle and sheep, and the allocation of incident references to SAC submissions and their inclusion in the incident reports has resulted in an increase in the number of incident reports from these species.

Not all isolates of new incidents of *S. Typhimurium* from bovine animals received from SAC are phage typed. As the system does not allocate an incident reference number to a report of *S. Typhimurium* until the phage type result is received, this means that some isolates of *S. Typhimurium* from SAC will not be allocated an incident reference and therefore the actual number of reports of *S. Typhimurium* may be higher than the number recorded on the database.

### **VLA Quality Assurance Statement**

The policy of the Veterinary Laboratories Agency (VLA) is to maintain a high standard of quality in all aspects of its operation and to continually satisfy our customers in respect of all the services offered.

The laboratory facilities are UKAS accredited to BS EN ISO 17025:2000 (Lab Nos. 0941, 1769 and 2112) for an extensive range of tests supported by proficiency testing accredited to ISO/IEC Guide 43-1 1997 (Lab No. 0004). VLA is certificated to BS EN ISO 9001:2000 for 'the provision of a range of specialist veterinary scientific services to the

Government and other interested parties worldwide (Certificate Nos. LRQ 4000436, 4001071, 0962413 and 4001392).

Additionally VLA holds Good Laboratory Practice and Good Manufacturing Practice approval and complies with the Joint Code of Practice for Research projects and Good Clinical Veterinary Practice quality standards.

VLA Weybridge is accredited to BS EN ISO 14001:2004 for environmental management system.

## SECTION B

### METADATA ELEMENTS

Metadata elements	Definition
Creator	Salmonella Surveillance Team, CERA, VLA Weybridge, New Haw, Addlestone, Surrey KT15 3NB
Date created	29/03/2007 (data retrieval from FarmFile/Salmonella database)
Identifier	Salmonella Annual Report 2006, Version 1
Quality	See Section A
Publisher	Salmonella Surveillance team, CERA, VLA Weybridge, New Haw, Addlestone, Surrey, KT153NB
Source	Farmfile/Salmonella database.
Title	Salmonella in Livestock Production in GB 2006

### ADDITIONAL REPORT METADATA ELEMENTS

Metadata elements	Definition
Coverage spatial	Salmonella reports made in Great Britain
Date. Issued	By 24/08/2007
Date. Updating frequency	Annually
Format medium	Word document
Language	English
Mandate authorising statute	Data collected under: Zoonoses Order 1989 PBFHO 1993 ABPR 2005 IPAPO 1981
Rights. copyright	Crown copyright
Subject. Category	Zoonoses, Animal Health
Subject. Keywords	Salmonella, Livestock
Subject. programme	Food and Environmental Safety
Subject. project	Surveillance of Salmonella in animals (FZ2000) Monitoring of Antimicrobial Resistance in Bacteria from Animals and their Environment (FZ2000) Microbiological monitoring of Animal By Products, laboratory inspection scheme and Quality Assurance sample supply (ABPR & PBFHO) (FZ2800)
Status	Approved by: Christina Papadopoulou

	(c.papadopoulou@vla.defra.gsi.gov.uk) Version 1
Type	Report

## Acknowledgements

Incidents were reported by Nominated Officers of the Veterinary Laboratories Agency for England and Wales and Divisional Veterinary Managers for Scotland and, through them, by private laboratories.

Divisional Veterinary Managers of Animal Health (formerly State Veterinary Service) are responsible for the collection of samples of processed animal protein.

Staff of the Veterinary Laboratories Agency processed the data.

The following reference laboratories made or confirmed the majority of isolations:

- Veterinary Laboratories Agency, Weybridge and Lasswade.
- HPA Laboratory of Enteric Pathogens, Colindale.
- Scottish *Salmonella* Reference Laboratory, Glasgow.

This report was compiled by:

Christina Papadopoulou and Sue Kidd  
Centre for Epidemiology and Risk Analysis,  
Veterinary Laboratories Agency,  
New Haw,  
Addlestone,  
Surrey,  
KT15 3NB

Telephone: + 44 (0)1789 - 750212  
Fax: + 44 (0)1789 - 750281  
E-mail [s.a.kidd@vla.defra.gsi.gov.uk](mailto:s.a.kidd@vla.defra.gsi.gov.uk)

Further copies of the report are available from the above address

VLA is an Executive Agency of the Department for Environment, Food and Rural Affairs.